

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
16 June 2005 (16.06.2005)

PCT

(10) International Publication Number
WO 2005/055556 A1

(51) International Patent Classification⁷: **H04L 29/06**,
H04Q 7/38, 7/32

(21) International Application Number:
PCT/SE2003/001901

(22) International Filing Date: 5 December 2003 (05.12.2003)

(25) Filing Language: English

(26) Publication Language: English

(71) Applicant (for all designated States except US): **TELEFONAKTIEBOLAGET LM ERICSSON (publ)**
[SE/SE]; S-164 83 Stockholm (SE).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **BURMAN, Bo**
[SE/SE]; Allévägen 6B, SE-194 91 Upplands Väsby (SE).
EINARSSON, Torbjörn [SE/SE]; Fridhemsgatan 29A,
SE-112 40 Stockholm (SE).

(74) Agents: **HAGSTRÖM, Hans** et al.; Bergenstrahle &
Lindvall AB, Box 17704, SE-118 93 Stockholm (SE).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.


(84) Designated States (regional): ARIPO patent (BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: A METHOD AND APPARATUS FOR ESTABLISHING A COMMUNICATION SESSION BETWEEN TWO TERMINALS



(57) Abstract: A method and apparatus for establishing a requested communication session between two terminals (A, B) over a given physical channel, wherein the session requires the determination of session parameters before the session can be executed. It is determined (402) by means of at least one session key, whether any session parameters for a previous session between the terminals have been stored in the terminals. If so, the stored session parameters are retrieved (408), such that the requested session can be executed (410) based on the retrieved session parameters. In this way, delays involved with the establishment of sessions requiring the determination of parameters, e.g. in multimedia calls, can be reduced.

WO 2005/055556 A1